

CLASSIC HD PORCELAIN TILE



CLASSIC HD PORCELAIN TILE



BFP1212CCAR • 12" x 12" CLASSIC CARRARA

CLASSIC HD PORCELAIN TILE



3" x 12" CLASSIC CARRARA HD PORCELAIN BULLNOSE
BFP312BCCAR



12" x 12" CLASSIC CARRARA HD PORCELAIN TILE
BFP1212CCAR



18" x 18" CLASSIC CARRARA HD PORCELAIN TILE
BFP1818CCAR



12" x 24" CLASSIC CARRARA HD PORCELAIN TILE
BFP1224CCAR



3" x 6" CLASSIC CARRARA
HD MATTE WALL TILE
BFP36CCAR



2" x 2" CLASSIC CARRARA HD PORCELAIN MOSAICS
BFP22CCAR



6" x 12" CLASSIC CARRARA HD GLOSSY WALL TILE
BFP612CCAR



3" x 6" CLASSIC CARRARA
HD GLOSSY BULLNOSE
BFP36BNCCAR

CLASSIC HD PORCELAIN TILE



BFP1212CCAL • 12" x 12" CLASSIC CALACATTA

CLASSIC HD PORCELAIN TILE



3" x 12" CLASSIC CALACATTA HD PORCELAIN BULLNOSE
BFP312BCCAL



12" x 12" CLASSIC CALACATTA HD PORCELAIN TILE
BFP1212CCAL



18" x 18" CLASSIC CALACATTA HD PORCELAIN TILE
BFP1818CCAL




12" x 24" CLASSIC CALACATTA HD PORCELAIN TILE
BFP1224CCAL



3" x 6" CLASSIC CALACATTA
HD MATTE WALL TILE
BFP36CCAL



2" x 2" CLASSIC CALACATTA HD PORCELAIN MOSAICS
BFP22CCAL




6" x 12" CLASSIC CALACATTA HD GLOSSY WALL TILE
BFP612CCAL



3" x 6" CLASSIC CALACATTA
HD GLOSSY BULLNOSE
BFP36BNCCAL

CLASSIC HD PORCELAIN TILE



BFP1212CPG • 12" x 12" CLASSIC PULPIS GREY

CLASSIC HD PORCELAIN TILE



3" x 12" CLASSIC PULPIS GREY HD PORCELAIN BULLNOSE
BFP312BCPG



12" x 12" CLASSIC PULPIS GREY HD PORCELAIN TILE
BFP1212CPG



18" x 18" CLASSIC PULPIS GREY HD PORCELAIN TILE
BFP1818CPG



12" x 24" CLASSIC PULPIS GREY HD PORCELAIN TILE
BFP1224CPG



3" x 6" CLASSIC PULPIS GREY
HD MATTE WALL TILE
BFP36CPG



2" x 2" CLASSIC PULPIS GREY HD PORCELAIN MOSAICS
BFP22CPG



6" x 12" CLASSIC PULPIS GREY HD GLOSSY WALL TILE
BFP612CPG



3" x 6" CLASSIC PULPIS GREY
HD GLOSSY BULLNOSE
BFP36CPG

CLASSIC HD PORCELAIN TILE



BFP1212CPI • 12" x 12" CLASSIC PULPIS IVORY


CLASSIC HD PORCELAIN TILE



3" x 12" CLASSIC PULPIS IVORY HD PORCELAIN BULLNOSE
BFP312BCPI



12" x 12" CLASSIC PULPIS IVORY HD PORCELAIN TILE
BFP1212CPI



18" x 18" CLASSIC PULPIS IVORY HD PORCELAIN TILE
BFP1818CPI



12" x 24" CLASSIC PULPIS IVORY HD PORCELAIN TILE
BFP1224CPI




3" x 6" CLASSIC PULPIS IVORY
HD MATTE WALL TILE
BFP36CPI



2" x 2" CLASSIC PULPIS IVORY HD PORCELAIN MOSAICS
BFP22CPI



6" x 12" CLASSIC PULPIS IVORY HD GLOSSY WALL TILE
BFP612CPI



3" x 6" CLASSIC PULPIS IVORY
HD GLOSSY BULLNOSE
BFP36BNCPI

CLASSIC HD PORCELAIN TILE

PACKAGING INFORMATION

DESCRIPTION	ITEM CODE					LBS/BOX	PCS/BOX	SQFT/BOX	BOXES/SKID	SQFT/SKID
	CARRARA	CALACATTA	PULPIS MOCA	PULPIS GREY	PULPIS IVORY					
18" x 18" CLASSIC HD PORCELAIN TILE	BFP1818CCAR	BFP1818CCAL	BFP1818CPM	BFP1818CPG	BFP1818CPI	62.14	7	15.28	26	397.28
12" x 24" CLASSIC HD PORCELAIN TILE	BFP1224CCAR	BFP1224CCAL	BFP1224CPM	BFP1224CPG	BFP1224CPI	65.84	8	16	32	512
12" x 12" CLASSIC HD PORCELAIN TILE	BFP1212CCAR	BFP1212CCAL	BFP1212CPM	BFP1212CPG	BFP1212CPI	44.29	13	13	46	598
6" x 12" CLASSIC HD GLOSSY WALL TILE	BFP612CCAR	BFP612CCAL	BFP612CPM	BFP612CPG	BFP612CPI	30.34	22	11	64	704
3" x 6" CLASSIC HD MATTE WALL TILE	BFP36CCAR	BFP36CCAL	BFP36CPM	BFP36CPG	BFP36CPI	17.20	44	5.38	170	914.60
2" x 2" CLASSIC HD PORCELAIN MOSAICS	BFP22CCAR	BFP22CCAL	BFP22CPM	BFP22CPG	BFP22CPI	30.34	10	10	48	480
3" x 6" CLASSIC HD GLOSSY BULLNOSE	BFP36BNCCAR	BFP36BNCCAL	BFP36BNCPM	BFP36BNCPG	BFP36BNCPI	9.96	30	n/a	216	6480 pcs.
3" x 12" CLASSIC HD PORCELAIN BULLNOSE	BFP312BCCAR	BFP312BCCAL	BFP312BCPM	BFP312BCPG	BFP312BCPI	16.52	20	n/a	119	2380 pcs.

GENERAL SPECIFICATIONS

DESCRIPTION	METHOD	UNIT	12" x 12"	18" x 18"	12" x 24"	12" x 24" Calacatta
THICKNESS		mm – in	7.6 mm – 5/16"	8.7 mm – 11/32"	8.9 mm – 11/32"	8.9 mm – 11/32"
WATER ABSORPTION	EN ISO 10545-3	(%)	≤ 0.5	≤ 0.5	≤ 0.5	≤ 0.5
ABRASION RESISTANCE	EN ISO 10545-7	(PEI)	4	4	4	4
SCRATCH HARDNESS		(Mohs)	7	7	7	7
BREAKING STRENGTH	EN ISO 10545-4	(lbf)	≥ 300	≥ 300	≥ 300	≥ 300
CHEMICAL RESISTANCE	EN ISO 10545-13	(GL)	Class A – Res.	Class A – Res.	Class A – Res.	Class A – Res.
FROST RESISTANCE	EN ISO 10545-12		Resistant	Resistant	Resistant	Resistant
STATIC COEFFICIENT OF FRICTION (WET)	ASTM C-1028	(μ)	≥ 0.70	≥ 0.70	≥ 0.70	≥ 0.60
STATIC COEFFICIENT OF FRICTION (DRY)	ASTM C-1028	(μ)	≥ 0.80	≥ 0.80	≥ 0.80	≥ 0.90
DCOF (WET)	ANSI B101.3		≥ 0.42	≥ 0.42	≥ 0.42	≥ 0.42
SHADE VARIATION			V2	V2	V2	V2