


Purity

Timeless elegance and enduring simplicity allowing for endless versatility.




builder
essentials
BY B&F CERAMICS


Colors at a glance



1. Ice



2. Ivory



3. Breeze

Formats and finishes at a glance



4 x 16 in / 10 x 40 cm
Pressed
Glossy / Matte

Colors: 1, 2, 3



3 x 12 in / 7.5 x 30 cm
Pressed
Glossy / Matte


Colors: 1, 2, 3



3 x 6 in / 7.5 x 15 cm
Pressed
Glossy / Matte

Colors: 1, 2, 3

Trims



6 x 6 in / 15 x 15 cm
Cove Base
Glossy / Matte

Color: 1



2 x 8 in / 5 x 20 cm
Bullnose
Glossy / Matte


Colors: 1, 2, 3




2 x 6 in / 5 x 15 cm
Bullnose
Glossy / Matte

Colors: 1, 2, 3


Breeze



4 x 16 in Pressed
Glossy: BF416PGB
Matte: BF416PMB




3 x 12 in Pressed
Glossy: BF312PGB
Matte: BF312PMB



3 x 6 in Pressed
Glossy: BF36PGB
Matte: BF36PMB



2 x 8 in Bullnose
Glossy: BF28PBNGB
Matte: BF28PBNMB



2 x 6 in Bullnose
Glossy: BF26PBNGB
Matte: BF26PBNMB




Ice



4 x 16 in Pressed
Glossy: BF416PGIC
Matte: BF416PMIC



3 x 12 in Pressed
Glossy: BF312PGIC
Matte: BF312PMIC



3 x 6 in Pressed
Glossy: BF36PGIC
Matte: BF36PMIC



6 x 6 in Cove Base
Glossy: BF66PCBGI
Matte: BF66PCBMI




2 x 8 in Bullnose
Glossy: BF28PBNGIC
Matte: BF28PBNMIC




2 x 6 in Bullnose
Glossy: BF26PBNGIC
Matte: BF26PBNMIC


Ivory




4 x 16 in Pressed
Glossy: BF416PGIV
Matte: BF416PMIV




3 x 12 in Pressed
Glossy: BF312PGIV
Matte: BF312PMIV



3 x 6 in Pressed
Glossy: BF36PGIV
Matte: BF36PMIV



2 x 8 in Bullnose
Glossy: BF28PBNGIV
Matte: BF28PBNMIV



2 x 6 in Bullnose
Glossy: BF26PBNGIV
Matte: BF26PBNMIV



Product and Packaging information, *Tiles and trims*

Key logistical details including item codes and product specifications.

Purity Product & Packaging Information Glazed Ceramic			ICE ITEM CODE	IVORY ITEM CODE	BREEZE ITEM CODE	LBS BOX	KGS BOX	PCS BOX	SQFT BOX	M2 BOX	BXS SKID	SQFT SKID	M² SKID		
	ACTUAL DIMENSIONS	THICKNESS	GLOSSY	MATTE	GLOSSY	MATTE	GLOSSY	MATTE							
4 x 16 in / 10 x 40 cm PRESSED GLAZED CERAMIC TILE	100 x 400 mm	7.8 mm	4000-0292-0	4000-0293-0	4000-0296-0	4000-0297-0	4000-0294-0	4000-0295-0	32.70	16.26	28	12.06	1.12	60.00	723.60
3 x 12 in / 7.5 x 30 cm PRESSED GLAZED CERAMIC TILE	75 x 300 mm	7.8 mm	4000-0286-0	4000-0287-0	4000-0290-0	4000-0291-0	4000-0288-0	4000-0289-0	27.32	14.60	44	10.66	0.99	68.00	724.88
3 x 6 in / 7.5 x 15 cm PRESSED GLAZED CERAMIC TILE	75 x 150 mm	7 mm	4000-0280-0	4000-0281-0	4000-0284-0	4000-0285-0	4000-0282-0	4000-0283-0	25.70	13.10	88	10.66	0.99	68.00	724.88
6 x 6 in / 15 x 15 cm PRESSED GLAZED CERAMIC COVE BASE	150 x 150 mm	7 mm	4002-0183-0	4002-0184-0	N/A	N/A	N/A	N/A	23.32	12.66	40	9.69	0.9	54.00	523.26
2 x 8 in / 5 x 20 cm PRESSED GLAZED CERAMIC BULLNOSE	50 x 200 mm	7.5 mm	4002-0177-0	4002-0178-0	4002-0181-0	4002-0182-0	4002-0179-0	4002-0180-0	21.00	11.64	80	8.61	0.8	70.00	602.70
2 x 6 in / 5 x 15 cm PRESSED GLAZED CERAMIC BULLNOSE	50 x 150 mm	7 mm	4002-0171-0	4002-0172-0	4002-0175-0	4002-0176-0	4002-0173-0	4002-0174-0	25.60	12.66	135	10.87	1.01	68.00	523.26

Technical information, *Tiles and trims*

Tile collection performance based on industry standards.

Technical Information			
	WATER ABSORPTION	ANSI / ISO - (%)	10% ≤E ≤16% - P4
	ABRASION RESISTANCE	ANSI / ISO	CLASS 0
	SCRATCH HARDNESS	ANSI / ISO - (Mohs)	GLOSSY 4, MATTE 4 120-150 >570
	BREAKING STRENGTH	ANSI - (lbf) ISO - (N)	
	SHADE VARIATION		V1
	SLIP RESISTANCE	ANSI - DCOF (WET) ISO - R VALUE	GLOSSY N/A GLOSSY N/A MATTE N/A MATTE N/A
	CHEMICAL RESISTANCE	ANSI / ISO	CLASS A
	STAIN RESISTANCE	ANSI ISO	CLASS A CLASS 5
	FROST RESISTANCE	ANSI / ISO	NOT RESISTANT

Test values are based on ANSI / ISO standards according to: ANSI A137.1 Non-Vitreous P4 Class, ISO 13006 - L - Group BIII, EN 14411- L - Group BIII. Variances in test values can occur in different production lots.

Usage recommendation, *Tiles and trims*

Anatolia’s recommendations for suitable applications.

Usage Recommendations*					
		GLOSSY GLAZED CERAMIC		MATTE GLAZED CERAMIC	
APPLICATION		WALL	FLOOR	WALL	FLOOR
INTERIOR	RESIDENTIAL	•		•	
	COMMERCIAL	•		•	
	HEAVY COMMERCIAL	•		•	
EXTERIOR	RESIDENTIAL / COMMERCIAL				

* These recommendations are not defined by ANSI/ISO standards.