



Cashmere Blend



8 x 8 in Cashmere Blend Pressed Matte
BFP88TCB




8.5 in Hexagon Cashmere
Blend Pressed Matte
BFP85HTCB




8.5 in Hexagon Cashmere
Pressed Matte BFP85HTC

Denim Blend



8 x 8 in Denim Blend Pressed Matte
BFP88TDB



8.5 in Hexagon Denim
Blend Pressed Matte
BFP85HTDB



8.5 in Hexagon Grey
Denim Pressed Matte
BFP85HTGD

Modern geometric compositions with an enduring style.
Through delicate graphic designs and inviting color palettes, the Tapestri collection offers a new and modern interpretation of encaustic tiles.



8.5 in Hexagon Tapestri Denim Blend Matte Pressed Tile

Modern geometric compositions with an enduring style.
Through delicate graphic designs and inviting color palettes, the Tapestri collection offers a new and modern interpretation of encaustic tiles.




8 x 8 in Tapestri Silk Blend Matte Pressed Tile


TAPESTRI



Silk Blend



8 x 8 in Silk Blend Pressed Matte
BFP88TSB




8.5 in Hexagon Silk
Blend Pressed Matte
BFP85HTSB




8.5 in Hexagon Silk
Pressed Matte
BFP85HTS

Wool Blend



8 x 8 in Wool Blend Pressed Matte
BFP88TWB



8.5 in Hexagon Wool
Blend Pressed Matte
BFP85HTWB



8.5 in Hexagon Wool
Pressed Matte
BFP85HTW

Packaging information

Key logistical details including item codes and product specifications.

Tapestri Product & Packaging Information											
	ACTUAL DIMENSIONS	THICKNESS	ITEM CODE	LBS BOX	KGS BOX	PCS BOX	SQFT BOX	M² BOX	BXS SKID	SQFT SKID	M² SKID
8 x 8 in TAPESTRI CASHMERE BLEND MATTE PRESSED GLAZED PORCELAIN TILE	200 x 200 mm	9 mm	4500-0977-0	2519.67	1142.91	17	7.32	0.68	81	592.92	55.08
8 x 8 in TAPESTRI DENIM BLEND MATTE PRESSED GLAZED PORCELAIN TILE	200 x 200 mm	9 mm	4500-0978-0	72.09	28	434	40.32	1.44	32	434	40.32
8 x 8 in TAPESTRI SILK BLEND MATTE PRESSED GLAZED PORCELAIN TILE	200 x 200 mm	9 mm	4500-0979-0	58.93	28	434	40.32	1.44	45	496	40.32
8 x 8 in TAPESTRI WOOL BLEND MATTE PRESSED GLAZED PORCELAIN TILE	200 x 200 mm	9 mm	4500-0980-0	58.93	28	434	40.32	1.44	45	496	40.32
8.5 in TAPESTRI CASHMERE HEXAGON MATTE PRESSED GLAZED PORCELAIN TILE	215 x 250 mm	9 mm	4500-0981-0	38.03	28	434	40.32	1.44	45	431.1	40.32
8.5 in TAPESTRI GREY DENIM HEXAGON MATTE PRESSED GLAZED PORCELAIN TILE	215 x 250 mm	9 mm	4500-0982-0	38.03	28	434	40.32	1.44	45	436.05	40.32
8.5 in TAPESTRI SILK HEXAGON MATTE PRESSED GLAZED PORCELAIN TILE	215 x 250 mm	9 mm	4500-0983-0	1791.17	812.46	17	7.43	0.69	66	490.38	45.54
8.5 in TAPESTRI WOOL HEXAGON MATTE PRESSED GLAZED PORCELAIN TILE	215 x 250 mm	9 mm	4500-0984-0	1791.17	812.46	17	7.43	0.69	66	490.38	45.54
8.5 in TAPESTRI CASHMERE BLEND HEXAGON MATTE PRESSED GLAZED PORCELAIN TILE	215 x 250 mm	9 mm	4500-0985-0	1791.17	812.46	17	7.43	0.69	66	490.38	45.54
8.5 in TAPESTRI DENIM BLEND HEXAGON MATTE PRESSED GLAZED PORCELAIN TILE	215 x 250 mm	9 mm	4500-0986-0	1791.17	812.46	17	7.43	0.69	66	490.38	45.54
8.5 in TAPESTRI SILK BLEND HEXAGON MATTE PRESSED GLAZED PORCELAIN TILE	215 x 250 mm	9 mm	4500-0987-0	1791.17	812.46	17	7.43	0.69	66	490.38	45.54
8.5 in TAPESTRI WOOL BLEND HEXAGON MATTE PRESSED GLAZED PORCELAIN TILE	215 x 250 mm	9 mm	4500-0988-0	1791.17	812.46	17	7.43	0.69	66	490.38	45.54

Technical information

Tile collection performance based on industry standards.

Technical Information			
	WATER ABSORPTION	ANSI / ISO - (%)	< 0.5%
	ABRASION RESISTANCE	ANSI / ISO	CLASS 4
	SCRATCH HARDNESS	ANSI / ISO - (Mohs)	6
	BREAKING STRENGTH	ANSI - (lbf) ISO - (N)	≥310 ≥1300
	SHADE VARIATION		V2
	SLIP RESISTANCE	ANSI - DCOF (WET) ISO - R VALUE	≥0.55 R9
	CHEMICAL RESISTANCE	ANSI / ISO	CLASS A
	STAIN RESISTANCE	ANSI ISO	CLASS A CLASS 5
	FROST RESISTANCE	ANSI / ISO	PASS

Test values are based on ANSI / ISO standards according to: ANSI A137.1 - Porcelain tile P1 Class, ISO 13006 - G - Bia Group, En 14411 - G - Bia Group. Variances in test values can occur in different production lots.

*Values are estimates and will be confirmed after production.

Usage recommendation

Recommendations for suitable applications.

Usage Recommendations*			
		MATTE GLAZED PORCELAIN	
APPLICATION		WALL	FLOOR
INTERIOR	RESIDENTIAL	•	•
	COMMERCIAL	•	•
	HEAVY COMMERCIAL	•	
EXTERIOR	RESIDENTIAL / COMMERCIAL	•	

* These recommendations are not defined by ANSI/ISO standards.

