



HYDE PARK BRICK - 1"x2" GLOSSY

QUALITY CHARACTERISTICS	NORM	STANDARDS	RESULT
 Water absorption of the body	ISO 10545-3	ISO 10545-3	None
 Breaking strength	ISO 10545-4		
 Abrasion resistance	ISO 10545-7	MOHS	4
 Frost resistance	ISO 10545-12	ISO 10545-12	Resistant
 Chemical resistance	ISO 10545-13	Domestic Products Pool Water Additives Low Acid + Alkalins High Acid + Alkalins	GA GA GLA GHA
 Thermal shock resistance	ISO 10545-9	ISO 10545-9	Resistant
 Dynamic coefficient of friction	BOT 3000E	ANSI A 137.1	N/A
 Shade Variation	See Below	Substantial Variation	V4

Colors Featured in Hyde Park Brick 1"x2" Glossy Finish:

Amalfi, Bari, Cayo Coco, Forest Blue, Iria, Kara Beige, Kara Blue, Lungomare, Print, Saona, Tanzanite, Tozen, Umbria, Verona



V1

Uniform appearance



V2

Slight Variation



V3

Moderate Variation



V4

Substantial Variation

For the best product laying results, material from at least three boxes should be mixed.

HYDE PARK

www.bfceramics.com

HYDE PARK BRICK - 1"x2" MATTE

QUALITY CHARACTERISTICS	NORM	STANDARDS	RESULT
 Water absorption of the body	ISO 10545-3	ISO 10545-3	None
 Breaking strength	ISO 10545-4		
 Abrasion resistance	ISO 10545-7	MOHS	5
 Frost resistance	ISO 10545-12	ISO 10545-12	Resistant
 Chemical resistance	ISO 10545-13	Domestic Products Pool Water Additives Low Acid + Alkalins High Acid + Alkalins	GA GA GLA GHA
 Thermal shock resistance	ISO 10545-9	ISO 10545-9	Resistant
 Dynamic coefficient of friction	BOT 3000E	ANSI A 137.1	See Below
 Shade Variation	See Below	Slight Variation	V2

Colors Featured in Hyde Park Brick 1"x2" Matte Finish:

Abuhna Matte, Arabescato Gold Matte, Beray Matte, Brescia Matte, Matte Black Rock, Matte Ivet, Shabby Terra Matte, Yada Matte

Dynamic Coefficient of Friction:

0.42: Abuhna Matte, Shabby Terra Matte, Yada Matte

0.60: Arabescato Gold Matte, Beray Matte, Brescia Matte, Matte Black Rock, Matte Ivet,



Uniform appearance

V1



Slight Variation

V2



Moderate Variation

V3



Substantial Variation

V4

For the best product laying results, material from at least three boxes should be mixed.

HYDE PARK

www.bfceramics.com



HYDE PARK BRICK - 1"x2" MATTE & SHINY

QUALITY CHARACTERISTICS	NORM	STANDARDS	RESULT
 Water absorption of the body	ISO 10545-3	ISO 10545-3	No
 Breaking strength	ISO 10545-4		
 Abrasion resistance	ISO 10545-7	MOHS	4
 Frost resistance	ISO 10545-12	ISO 10545-12	Yes
 Chemical resistance	ISO 10545-13	Domestic Products Pool Water Additives Low Acid + Alkalins High Acid + Alkalins	GA GA GLA GHA
 Thermal shock resistance	ISO 10545-9	ISO 10545-9	Yes
 Dynamic coefficient of friction	BOT 3000E	Not Applicable; Wall Tile Only	
 Shade Variation	See Below	Moderate Variation	V3

Colors Featured in Hyde Park Brick 1"x2" Matte Finish:

Denim Copper



Uniform appearance

V1



Slight Variation

V2



Moderate Variation

V3



Substantial Variation

V4

For the best product laying results, material from at least three boxes should be mixed.

HYDE PARK

www.bfceramics.com